

TABLE OF CONTENTS

GENERAL	1
INSTRUCTIONS IN DETAILING FOR REDUCTION OF PLANS	1
LETTERING	2
SCALE	2
TEXT	9
PEN AND PENCIL TEXT SIZE AND LINE WEIGHTS Detail Titles Dimensions, Notes and Callouts CAD TEXT EQUIVALENCE	3 3
LINE WORK	
Pen And Pencil Line Work	4
BRIDGE DESIGN CAD STANDARDS	5
CELL FILES TEXT REQUIREMENTS FILE NAMING CONVENTIONS Mechanical and Electrical Filenames	5 6
Structural Filenames (DOS convention)	<i>6</i>
SEED FILE SETTINGS OUTPUT QUALITY - NEATNESS AND COMPOSITION ACCURACY GUIDELINES CAD TOOL CHOICES STANDARDIZATION IMPORTANCE INROADS OUTPUT REQUIREMENTS SURVEY DESIGN FILE TREATMENT SPECIAL CONSULTANT REQUIREMENTS DIAGRAMS SHOWING DESIGN FILES LEVELS (STRUCTURAL DETAIL ELEMENTS) DRAWINGS SHOWING LINE SYMBOLOGY TABLES SHOWING KEYBOARD AND SPECIAL CHARACTERS FOR FONT 103 DRAWING SHOWING CONVENTIONAL SYMBOLS USED IN DETAILING	
METRIC DETAILING CONVENTIONS	18

Numbers	18
The International System of Units (SI)	18
Numbers in tables	18
DIMENSIONS	18
Special format guidelines	18
Exceptions to the millimeter standard	19
STATIONING	
Accuracy	
PROFILE GRID.	
SCALES	
SI SYMBOLSBID ITEMS	
Standard Detail Sheet	
SLOPES	
ABBREVIATIONS	
REINFORCING STEEL	
MISCELLANEOUS DETAILING INFORMATION	23
SWEDGED ANCHOR BOLTS DETAIL	
DETAIL SHOWING PROCEDURE USED TO MEASURE CONCRETE FOR PAYMENT	
Structural Metalwork Hardware Weights Summary	
REINFORCEMENT BAR DATA	
90 Degree Hook For Stirrups & Ties (Soft Metric)	
135 DEGREE HOOK FOR STIRRUPS & TIES (HARD IVIETRIC)	
135 DEGREE HOOK FOR STIRRUPS & TIES (HARD METRIC)	
90 Degree Standard Hooks (Soft Metric)	
90 Degree Standard Hooks (Hard Metric)	30
REINFORCEMENT BAR DATA	31
180 Degree Standard Hooks (Soft Metric)	31
180 Degree Standard Hooks (Hard Metric)	
REINFORCEMENT BAR PROPERTIES (SOFT METRIC)	
REINFORCEMENT BAR PROPERTIES (HARD METRIC)	
BOLT DATA	33
BOLT PROPERTIES FOR METRIC BOLTS AND ENGLISH BOLT SUBSTITUTIONS	
BOLT EDGE DISTANCES	33
BOLT HOLE DIMENSIONS FOR METRIC BOLTS	
COMMON AND PREFERRED STEEL PLATE THICKNESSES	35
TYPICAL SHEET TYPES USED IN BRIDGE PLANS (METRIC)	36

9 (ii) Rev. 04/01/99

Bridge Layout	36
Bridge Detail	37
DEVELOPMENT LENGTH OF REINFORCING BARS IN TENSION	38

GENERAL

CAD is the most common method used to prepare bridge plans; however, manual drafting is sometimes utilized to produce bridge details. The instructions given in this chapter are sometimes only applicable to one of the two methods of plan preparation. Many of the principles necessary to produce quality bridge apply to both the manual and the computer aided method.

The purpose of an engineering or technical drawing is to convey complete instructions with clarity and simplicity. Complex projections, excessive detail, artistic flourishes and other unnecessary drafting frills should be avoided. They add nothing to the value of the drawing and defeat the objectives of simplicity and clarity that are so important to the plan production process. Show only what is necessary to clearly describe the detail.

A good quality drawing is easily recognized by its clean appearance, sharp line work, clear and uniform lettering, well-selected views and simple presentation. The importance of careful presentation cannot be over-emphasized as a prime factor in contributing to good quality reproductions. One cannot expect to achieve the same good results with a soiled, wrinkled drawing with light lines and lettering that one can with a clean drawing, using black opaque lines and lettering.

INSTRUCTIONS IN DETAILING FOR REDUCTION OF PLANS

The Louisiana Department of Transportation and Development has a policy of reducing all plans that are to be let to contract. This process means that the drawings are reduced, using photography, to a plate 50 percent smaller than the original. Because this reduction works both horizontally and vertically, a plan sheet approximately one-fourth the size of the original plan sheet will result. The result is not always completely satisfactory in that the line work on the reduction may appear somewhat "fuzzy" or light if care is not used in preparing the drawings. These reduced prints will be the plans from which the contractor computes his bid and will also be used for construction of the bridge. Within a reasonable time after the bridge has been constructed, the original sheets will be microfilmed to one-thirteenth of the original size and kept as a permanent record of the contract plans. Prints can be made at any time in the future from the microfilm if it becomes necessary to do additional work on the bridge. Legibility is clearly of great importance.

What is considered "normal detailing practice" may not always apply to drawing that is to be reduced. This task requires a constant awareness on the part of the drafter, who should consider the question, "How will this drawing appear when it is reduced?" The size of lettering, spacing between lines of lettering, and spacing between object lines are all affected by plan reduction. The drafter should pay close attention to these concerns; otherwise, the plans will not be suitable for reduction. One must conclude that drawing plans for reduction requires not only technical skill, but an attention to detail not necessary when drawing for full-size reproductions.

LETTERING

Due to nature of engineering work and the time element involved, it is often necessary to employ more than one drafter in the preparation of the plan sheets that go together to make up a final set of contract drawings. Such a procedure dictates that drafting practices should be consistent to ensure a reasonably uniform appearance for all sheets in the plan set. The greatest source of inconsistency is in the plan lettering. No two drafters will letter exactly alike, but if both are using the same basic style, then the result should be generally suitable. When work is being done on a drawing that has lettering already on it, whether it is hand type, Leroy, or other mechanical means, every effort should be made to match the additional lettering to the existing lettering on that sheet. All letters and numbers shall be created with an open, non-compressed style. The prints generated from microfilm or half-size copies are reduced from the original size, making clear, open lettering, uniform and properly spaced, essential for legibility. Lettering shall be vertical style, uppercase lettering, however, slanted lettering will not be prohibited for hand lettered drawings or drawings produced prior to this publication. Some type of guideline system shall be used, either a mechanical lettering guide or a prepared guideline sheet. Freehand lettering should never be attempted without using guidelines.

The body of letters, numbers, and symbols shall be no smaller than 140 Leroy size, except in unusual cases where available space is inadequate. If lettering is reduced to a size smaller than 140 Leroy, it must be reasonably readable at 50% reduction. The 120 Leroy size will usually meet these criteria. See the examples below for the size and type of lettering required. Sizes indicated as minimum are also the recommended sizes for most applications.

SCALE

Drawing scale is an important consideration when setting up a detail sheet. Scales should be appropriate for the application, not too big and not too small. Legibility is the key consideration. Small-scale, crowded plans, elevations, views, and sections are not acceptable, so consideration should be given to moving views and sections to other sheets, separate from plan and elevation views, when necessary to avoid overcrowded and underscaled details. Materials lists, summary of quantities and large notes may also be placed on separate sheets.

Obviously it is difficult to make proper topography drawings and plan-and-profile sheets to a large scale without utilizing additional time and materials; however, it is possible to greatly clarify a drawing without enlarging the scale by careful placement of dimensions, descriptions, and notes.

Details shall be drawn to standard scales where practical. If the detail is to scale, show the scale under the detail title. In special cases a detail may be scaled to fit available space. In these cases indicate that details are not to scale by noting "NTS" below the sheet title. Traditionally certain details, such as reinforcing bar details and superelevation transition details, have been drawn in schematic format. It is not necessary to mark schematic details "NTS."

TEXT

PEN AND PENCIL TEXT SIZE AND LINE WEIGHTS

Detail Titles

Lettering Guide - # 5 1/2 Ames or # 175 Leroy Line Weight - H lead or # 2 Technical pen



Dimensions, Notes and Callouts

Lettering Guide - # 4 1/2 Ames or # 140 Leroy Line Weight - 2H lead or # 1 Technical pen



CAD TEXT EQUIVALENCE

Text heights shown above are equivalent to the Leroy size or guideline spacing indicated, and are measured to the outside of stroke, whereas CAD text heights are measured to center of stroke. Therefore, a reduction in CAD text height values from the text heights shown above is required to achieve equivalent CAD text output. CAD text height values are as follows: 3.2 mm for 140 Leroy equivalence and 4.0 mm for 175 Leroy equivalence. CAD lines for text shall be equal in width to the technical pen specified above.

LINE WORK

To ensure good half-size and microfilm reproductions, lines must be properly drawn. Ink is recommended as the best reproducing agent, however, dark concise pencil lines are acceptable. The outline of the object should stand out sharply, with reinforcing lines somewhat less prominent. Dimension lines, centerlines, cross-hatching, and existing structure lines shall be lighter still. Guidelines shall be scarcely visible. Closely drawn lines should be avoided as they tend to run together to make one (1) heavy line when the drawing is reduced. Some exaggeration of scale may be used in areas where this might occur. Lines of any type should never be placed on the back of drawings because they are almost impossible to reproduce with LA DOTD methods.

A steady pressure should be exerted to ensure lines of constant density throughout the drawing. Consistent line width and black opacity are essential. When making changes on a drawing, every effort should be made to match the original line density. A good gauge of the opacity of pencil line is whether it shines or not. A black shiny line will reproduce much better than a dull, fuzzy one.

PEN AND PENCIL LINE WORK

- 1. Object or Concrete Lines (# 2 Technical Pen or 2H Lead Minimum)
- 2. Reinforcing Steel or Metalwork Lines (# 1 Technical Pen or 3H Lead Minimum)
- 3. Hidden Lines (# 0 Technical Pen or 3H Lead Minimum)
- 4. Ground Lines (# 0 Technical Pen or 3H Lead Minimum)
- 5. Dimension Lines and Arrow Heads (# 00 Technical Pen or 4H Lead Minimum)
- 6. Centerlines (# 00 Technical Pen or 4H Lead Minimum)
- 7. Existing Features Lines (# 00 Technical Pen or 4H Lead Minimum)
- 8. Cross-Hatching (# 00 Technical Pen or 4H Lead Minimum)
- 9. Break Lines (# 00 Technical Pen or 4H Lead Minimum)
- 10. Cutting Plane or Section Lines (# 3 Technical Pen or H Lead Minimum)

CAD LINE WORK EQUIVALENCE

CAD lines shall be equal in width to the technical pens specified above. Software pen widths shall be adjusted to ensure a match that is as close as possible.

BRIDGE DESIGN CAD STANDARDS

The following requirements assume that details are generated with MicroStation software. Currently submittal of consultant plans is not required in electronic format; however, this may become a requirement in the future. Users of other software should read this section as a guide to output symbology and quality expectations, and the general types of standardization expected.

CELL FILES

Cell files are indexed graphically in the Bridge Design Cell Libraries booklet. This is a separate document and may be obtained upon request from the Bridge Design Section. Bridge Design cell libraries are as follows:

ENGLISH	METRIC
common.cel	general.cel
bent.cel	struct.cel
span.cel	struct.cel
gp.cel	plan.cel
steel.cel	metal.cel
mec.cel	mech.cel
ele.cel	elect.cel

Cell libraries are useful because they enable frequently used details to be accessed in a standardized format and placed without having to redraw. The above cell files should be used whenever possible by Bridge Design drafters. Personal versions of Standard Bridge Design cells are not recommended. Individuals creating useful cells should see to it that these cells are included in the appropriate cell library, and make sure that the library keeper is informed. Cells should be carefully constructed. Cells of limited long-term value, such as those to be used on a specific job only, shall be included in personal or project cell libraries. Consultants will not be required to use Bridge Design cell libraries; however, they should strive to achieve similar standardized details. Bridge Design cell libraries will be made available to consultants upon request.

TEXT REQUIREMENTS

Fonts: Text shall be Font 103, a vertical, open, non-compressed style similar to Leroy. All text shall be uppercase unless there is a special need for lowercase such as the metric symbol, "mm." Actual text sizes shall be equal to mechanical Leroy sizes. For consistency and convenience, it is recommended that the sidebar menu, bridge-m.sbm, be used to set text size, line spacing and line weights.

FILE NAMING CONVENTIONS

Users of Windows NT, Windows 95 or Macintosh operating systems may take advantage of the long filename capability. The filename "Bents2-5wb.dgn," for instance, is permissible; however, filenames that are overly descriptive are not recommended. A keyword, such as "Bent" or "Span," should start long filenames so that they will be grouped properly in the file manager.

Users of DOS or Unix type operating systems or mixed systems including either of these should use filenames conforming to DOS conventions. Maximum length of DOS filenames is 8 characters + 3 character extension. DOS filenames are permissible for all common operating systems. Unix allows two additional characters, but this is not enough to enable useful long filenames. A detail representative of several elements in a design, such as "bents 2-5 and 9", shall be specified using the first element number (i.e., bpil2.dgn). Standardized DOS filenames are listed below.

Files shall be limited to one sheet each. Filenames for details that require more than one sheet, such as end bents, shall be given a letter designation (e.g., bpil1a.dgn and bpil1b.dgn). Standard plan files shall be named according to historical conventions. The standard design file extension is ".dgn" and shall be used except where specified otherwise.

Mechanical and Electrical Filenames

Files shall be named according to the "M" or "E" number whenever applicable. Examples: M04.dgn and E07.dgn.

Structural Filenames (DOS convention)

1.	GENERAL ITEMS
FILENAME	DESCRIPTION
plangb.dgn	plan, general bridge
plangr.dgn	plan, general ramp
plangd.dgn	plan, general detour bridge
channel.dgn	channel relocation and improvements
laygen.dgn	layout, general
layseq.dgn	layout, sequencing or phasing
notes.dgn	general notes
qsum.dgn	quantities, summary of
qbrsum.dgn	quantities, bridge summary of
signp.dgn	signing, permanent
signc.dgn	signing, construction
eltb.dgn	elevation table

2.	BRIDGE SUBSTRUCTURE
FILENAME	DESCRIPTION
layfnd.dgn	layout, foundation
col.dgn	columns
drshaft.dgn	drilled shaft
pierprt.dgn	pier protection (fender system, dolphin, etc.)
fender.dgn	fender system
footing.dgn	footings
bgate.dgn	bent with traffic gates for movable bridge
bpier.dgn	bent, pier
bcol.dgn	bent, column
bpil.dgn	bent, pile
btbar.dgn	bent with traffic barrier for movable bridge
bppier.dgn	bent, pivot pier
pilepc.dgn	pile, precast
pilest.dgn	pile, steel
pileti.dgn	pile, timber
pilett.dgn	pile, treated timber
pidattb.dgn	pile data table

3.	BRIDGE SUPERSTRUCTURE
FILENAME	DESCRIPTION
planf.dgn	plan, framing
super.dgn	superelevation transition
railhn.dgn	rail, handrail
railbr.dgn	rail, barrier
wallrtn.dgn	wall, retaining
floorgr.dgn	flooring, grid
gicb.dgn	girder, concrete box
gicsb.dgn	girder, curved steel box
gicsi.dgn	girder, curved steel I-beam
gippcdgn	girder, ppc (type), e.g., gippc3 = type 3
gisi.dgn	girder, steel I-beam
gisb.dgn	girder, steel box
gidgntb.dgn	girder design table
gilentb.dgn	girder length table
ssi.dgn	span, steel I-beam girder
sppcb.dgn	span, precast-prestressed concrete box girder

3.	BRIDGE SUPERSTRUCTURE
sppci.dgn	span, precast-prestressed concrete I-girder
scslab.dgn	span, cast-in-place slab
spslab.dgn	span, precast slab
sctb.dgn	span, cast-in-place T-beam
slift.dgn	span, lift
sswing.dgn	span, swing
sccb.dgn	span, cast-in-place concrete box girder
sptcb.dgn	span, post-tensioned concrete box girder
sptci.dgn	span, post-tensioned concrete I-girder
ssb.dgn	span, steel box girder
postdet.dgn	post-tensioning details
postlay.dgn	post-tensioning layout
postqnt.dgn	post-tensioning quantities

4.	BRIDGE APPROACHES
FILENAME	DESCRIPTION
appr.dgn	approach slab
apprps.dgn	approach slab, pile supported

5.	SPECIALTY ITEMS
FILENAME	DESCRIPTION
access.dgn	access opening
caisson.dgn	caisson
cntwt.dgn	counterweight
drainbr.dgn	drainage, bridge
drainsc.dgn	drain, scupper
deckco.dgn	deck coordinates
erctsch.dgn	erection scheme, casting machine schematic
jtexp.dgn	joint, expansion and stress relief joint
jtfng.dgn	joint, finger
jacking.dgn	jacking details
operh.dgn	operator house
portal.dgn	portal
bearn.dgn	bearing, neoprene
bearp.dgn	bearing, pot
bearr.dgn	bearing, rocker

5.	SPECIALTY ITEMS
beart.dgn	bearing, Teflon
segbulk.dgn	segment bulkhead
seg.dgn	segment details
seglay.dgn	segment layout
strut.dgn	strut
subshaft.dgn	subshaft
tower.dgn	tower
portalt.dgn	portal, tower
truss.dgn	truss
swbrace.dgn	sway bracing
willowm.dgn	willow mattress
windanc.dgn	wind anchorage
windlnk.dgn	wind link

SEED FILE SETTINGS

SETTING	SETTING	ENGLISH FILE	METRIC FILE	METRIC FILE
CATEGORY	TYPE	SEEDBDE	SEEDBDMD	SEEDBDMP
1. Text	font	103	103	103
	size	0.1280	96.0	0.960
	space	0.0768	58.0	0.576
2. Working unit	master units	1	blank (mm)	_m
names	sub units	<i>II</i>	blank	blank (mm)
3. Resolution	sub units	12	1	1000
	positional units	8000 or 2000	80	80
4. Coordinate	coord. format	master	master	master
Readout	ang. accuracy	.1234	.12	.1234
	angle format	dd.dddd	dd.dddd	dd mm ss
	angle mode	conventional	conventional	bearing
	ang. accuracy	.1234	.1234	0.1 seconds
	tpmode	delta	delta	delta
5. Cells	cell library	common.cel	bridge.cel	bridge.cel
	terminator cell	LT101	LT101A	LT101A
6. Grid	master grid	0.0833	0.1	1.0
	reference grid	12	10	10
7. Level names	level name file	str.lvl	str.lvl	str.lvl
8. Dimensions	as in settings file	str.stg	str.stg	str.stg
	component	english detail	metric detail	metric plan
9. Sheet type	reference file	N/A	detsheet	plnsheet
	sheet cell	sh101n	N/A	N/A

Note: Settings not shown are generally as in seed2d.dgn.

OUTPUT QUALITY - NEATNESS AND COMPOSITION

CAD affords a great opportunity to produce neat, well-composed drawings. Details can be corrected, revised, rearranged, moved, copied, scaled, and rotated with little difficulty. Object corners can be made to meet precisely with zero gap or overlap. Spacing between lines of text can be made consistent. Automated dimensioning enables consistent dimension styles. Symbology settings enable consistency in drawing appearance and readability. There is simply no excuse for shoddy work.

ACCURACY GUIDELINES

The value of CAD drawings can be greatly extended if they are accurately drawn. Precise angles and distances can be derived directly from CAD drawings without unnecessary additional manual or cogo computation. For this reason drawing geometry shall be input with six decimal place accuracy (meters) and three decimal place accuracy (millimeters). Small design dimension changes or input errors sometimes have ramifications to the drawing as a whole that would require a disproportionate amount of time to fix. In this case, if there is no critical geometry to be derived from the drawing, corrections need not be made to the geometry. Conversely, if corrections to the accuracy of drawing geometry can be easily made, they should be made.

In the past MicroStation has not been able to generate drawings with geometric accuracy that rivals hand calculations or cogo program output. Effective with MicroStation SE, an "enhanced precision" option is available which provides accuracy superior to double-precision floating-point storage. This option is invoked for Bridge Design effective April 1, 1999. It will not affect the accuracy of previously drawn geometry.

CAD TOOL CHOICES

As any experienced CAD operator knows, there are often many ways to get the job done. A dimension, for instance, can be drawn using separate lines, terminators and text as was necessary with now archaic software such as the IGDS system. Dimensions can now be placed as dimension elements using dimensioning tools with associated standard saved settings for symbology and formatting. Dimensioning tools can often cut time required for dimensioning by well over 90%. These tools can be frustrating to deal with in unusual situations, but the efficiency gained is well worth the time required to learn how to deal with such situations.

CAD operators must take the time to learn all applicable tools and keep updating their skills, as new tools become available. Not implementing new, more effective tools will cost considerable time, effort and money in the long term. Change is inevitable, so taking full advantage of the tools that are provided is imperative. Staying with the old, familiar ways is simply unacceptable. For this reason, if a checker notices the use of an archaic tool in design file creation, he/she should suggest more efficient methods.

9 (10) Rev. 04/01/99

STANDARDIZATION IMPORTANCE

Effective with the implementation of the Metric System is a renewed emphasis on standardization of detailing practices. With manual drafting, the primary elements of standardization are lettering style, symbolization, line style, and line weight. With CAD drafting, the elements of standardization are more complex. The additional elements of level structure, color, element type, cells, reference files, preference files, configuration files, seed files, etc. have added to the possibility of inconsistency. Standardization of these CAD elements has often been spotty to non-existent. This is not acceptable.

One of the biggest advantages of CAD is the ease with which details can be modified, corrected or copied for use in other jobs. When a detail is copied for a new job, alterations are often needed to make it fit the situation. Often the job of correcting a drawing or altering it for a new job falls on a drafter other than the original one. This can be a frustrating experience for the new drafter. Basic environmental issues come into play. If seed file settings are non-standard (e.g., working unit format, dimensioning settings, etc.), they must be set properly. If colors and levels are non-standard, then the drafter must get used to them or undertake the time consuming task of correcting element attributes. If the drawing is inaccurate or non-standard, is it worth fixing? If it is not worth fixing, do I want to make-do and put my name on it? Maybe I should just start over.

Working in another person's drawing file can be likened to working in another person's office. Some kind of order and familiarity is necessary or inefficiency and discomfort will result. For this reason the standards presented in this chapter must be taken seriously.

INROADS OUTPUT REQUIREMENTS

Project requirements generated through the InRoads roadway design software shall meet standards developed by the Road Design Section unless specified otherwise.

SURVEY DESIGN FILE TREATMENT


Where survey data is to be part of a design, it shall be attached to the plan sheet as a reference. This reference file or reference view is an overlay to the design and is manipulated using clip bounding, clip masking and level display combinations.


SPECIAL CONSULTANT REQUIREMENTS


Any special requirements for consultant jobs will be included in the contract or communicated through the project coordinator.

Occasionally, a consultant may be required to furnish drawings in MicroStation format, such as when the Department and one or more consultants share a job. In such cases the consultant should contact the Department, preferably before starting to detail the plans, to obtain information necessary for successful translation. This may include information such as font names, character mapping information and drawing symbology standards.

9 (11) Rev. 04/01/99








NOTES:

STANDARD SEED FILES CONTAIN LEVEL STRUCTURE. WHEN USING DESIGN FILES NOT CREATED FROM SEED FILES, LOAD THE STRUCTURAL LEVEL STRUCTURE FILE, STR.LVL, AND SAVE SETTINGS. ADDITIONAL LEVELS FOR MECHANICAL, ELECTRICAL, ARCHITECTURAL OR OTHER ELEMENTS MAY BE ADDED AS NEEDED. SAVE MODIFIED LEVEL STRUCTURES TO A ".LVL" FILE IN THE PROJECT DIRECTORY IF STRUCTURE WILL BE USED AGAIN.

FOR CONSISTENCY AND CONVENIENCE, IT IS RECOMMENDED THAT THE SIDEBAR MENU, BRIDGE-M.SBM, BE USED TO SET LEVEL AND COLOR.

TOPOGRAPHY LEVELS SHALL BE AS ADOPTED BY THE ROAD DESIGN SECTION. TOPOGRAPHY SHALL BE REFERENCED TO THE PLAN SHEET.



STRUCTURAL LEVELS

LINESTYLES

0	OBJECT
1	 GHOST
2	 MEDIUM HIDDEN
3	 LONG HIDDEN
4	 SPECIAL CASES
5	 SHORT HIDDEN
6	 R/W / PROPERTY
7	 CENTERLINE

LINE WEIGHTS FOR TYPICAL DETAIL ELEMENTS

0 —	DIMENSION LINES
1	METAL & REBAR
2 ———	CONCRETE
3	REBAR DETAIL
4 ———	BORDER

NOTES:

EXCEPTIONS WILL BE ALLOWED FOR SPECIAL SITUATIONS.

TOPOGRAPHY SYMBOLOGY SHALL BE AS ADOPTED BY ROAD DESIGN. TOPOGRAPHY SHALL BE REFERENCED TO THE BRIDGE FILE.

FOR CONSISTENCY AND CONVENIENCE, IT IS RECOMMENDED THAT THE SIDEBAR MENU, BRIDGE-M.SBM, BE USED TO SET ELEMENT SYMBOLOGY.

LINE SYMBOLOGY

KEYBOARD:

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

@ # \$ % & * () + - = \ { } []:"; ' < > ?,./

φ (`) φ (~) Δ (!) ° (^) ((;) 1234567890

FRACTIONS: 1/2 1/4 1/8 1/16 1/32 (ALL) FORMAT FOR OTHER FRACTIONS =

EXPONENT(S) / SUBSCRIPT(S) (/= \250)

	ONENT
0	\230
I	\231
2	\232
3	\233
4	\234
5	\235
6	\236
7	\237
8	\238
9	\239
N	MISC.
B _	\163
•	\165
1	\167
%	\172
\$_	\176
凡	\177
~	\190
`	\191
!	\192
^	\193
:	\194
I ∆	\228
-	\229
Δ/	\250
Δ \	\253

 \mathbb{N}

\171

			E
SUB	SCRIPT	GF	REEK
0	\240	α	\202
ı	\241	β	\203
2	\242	γ	\204
3	\243	δ	\205
4	\244	€	\206
5	\245	θ	\207
6	\246	ν	\208
7	\247	π	\209
8	\248	ρ	\210
9	\249	б	\211
SUB	SCRIPT	τ	\212
С	\216	φ	\213
е	\217	M	IATH
f	\218	÷	\195
i	\219	≠	\196
S	\220	×	\197
t	\221	≤	\198
w	\222	2	\199
у	\223	±	\200
RC	DMAN	√	\201
I	∖ 168	ſ	\251
I	\169	>	>
Ш	\170	<	<
117			

EK		BUGS ⊗
202	•	\162
203	•	\174
204	*	\ 175
205	8	\178
206		179
207	e	N180
208	8	\181
209		1 \182
210	#	183
211		184
212		1 \185
213	C	\186
ТН	Δ	187
195	C	1 \188
(196	€	189
(197	\	′\252
(198	*	*
199		


HIS	TORIC
Ф	\160
ф	\161
\triangle	\164
*	\166
Œ.	\173
0	, FONT
OLD D USE K FOR N	RIC IS FOR PRAWINGS. EYBOARD IEW WORK.
KEY	BOARD
ф	`
ф	~
Δ	!
*	* *
* ¢	•

NOTE:

CHARACTERS ARE SHOWN AT FULL SCALE PLAN SIZE.

- A CHARACTER VERSION TO BE USED FOR SPECIAL CASES ONLY.
- ⊗ ALL BUG CHARACTERS ARE TWO SPACE CHARACTERS WIDE EXCEPT FOR BULLET WHICH IS ONE SPACE CHARACTER WIDE.

STANDARD HIGHWAY DESIGN FONT (FONT 103 CHARACTERS)



CUTTING PLANE LINE		REINFORCING BARS	S	STAGGER BREAKS —
DIMENSION LINE	•	CONTROL OF ACCESS LINE	†	+++++++++++++++++++++++++++++++++++++++
BREAK LINE		FENCE LINE		X
PROPERTY LINE		GATE OR WIRE GAP		•
RIGHT OF WAY		LEVEE		L LI LILI SINGLE LINE TYPICAL RICE LEVEE
CENTERLINE OF PROJECT OR SURVEY ©	12+875 12+900 12+925 	CABLES LETTER DENOTES USAGE (E.5, TV-TELEVISION; P-POWER; T-TELEPHONE, ETC.)	TES USAGE EVISION; TELEPHONE,	VT
CENTERLINE (OTHER THAN C. PROJECT OR SURVEY C.)		PIPE LINES USAGE USAGE PETTER	LETTER DENOTES USAGE (E.G., G-GAS, W-WATER, ETC.)	9 ——— 9 ————
HIDDEN LINE		SCALE AS SHOWN		
LIMITS OF CONSTRUCTION	LIMITS OF CONSTRUCTION			
GROUND LINE	TASA TASA TASA TASA TASA TASA TASA TASA	2 OF	ן ייו	CONVENTIONAL SYMBOLS

ROAD (EXISTING DIRT OR GRAVEL)		GUY POLE		0		
ROAD (EXISTING PAVED)	IN PLACE TO REMAIN REMOVED	GUY WIRE AND ANCHOR	ІСНОВ)	
RAILROAD		POLES	POWER		Ö TELEPHONE	COMBINATION
WATER STAGE	DWS ELEV. 16.50	FIRE HYDRANT			<u></u>	
SWAMP OR MARSH	<u> </u>	WELL	© GAS	(0)	OIL	WATER
TREE		WATER VALVE			\odot \dashv	
HEDGE		METER		⊗ GAS		WATER
WOODS EDGE		RIGHT OF WAY MARKER	1 RKER		\boxtimes	
BUILDING	3.72 a					
GRAVE			CONVENTIONAL SYMBOLS 3 OF 3	JANC	SYMBC	LS

METRIC DETAILING CONVENTIONS

NUMBERS

The International System of Units (SI)

In accordance with The International System of Units, numbers shall be divided into groups of three separated by spaces on either side of the decimal. Do not use a space for four digit numbers except for uniformity in tables. Do not use spaces for monetary values and formulas. Commas shall not be used except for monetary values (e.g., "\$3,000.00"). Include leading zero (e.g., 0.205).

Examples: 2 300 150 1234 4200.1234 44 200.123 45 625.22 0.205

Numbers in tables

If a table includes numbers with five digits or more, use spaces for consistency including all numbers of four digits or more so that columns line up properly. Otherwise, do not use spaces for four digit numbers.

Exception: Where tables are output by software that does not provide for unit separation by spaces, it is not necessary to edit to add spaces.

DIMENSIONS

Dimensions shall be in millimeters unless otherwise noted.

Special format guidelines

- 1. Include the unit symbol for **dimensions included in notes** (e.g., "450 mm DIAMETER PILE"). Exception: Omit unit symbols for plates (e.g., "PL 15x200") and steel shapes (e.g., "L 102x102x9.5"). If length is shown, include the unit symbol (e.g., "L 102x102x9.5 x 800 mm")
- 2. For dimensions and callouts, where text is included, include the unit symbol. Exception: The unit symbol may be omitted where space is a problem, if the meaning is clear. For example:

Normal: "20 SPS. @ 300 mm = 6000 mm (B1501)" Acceptable: "20 SPS. @ 300 = 6000 (B1501)" to save space.

Not acceptable: "20 300 SPS. = 6000 B1501"

Normal: "13 200 mm CLEAR ROADWAY"

Acceptable: "13 200 (CLEAR ROADWAY)" to save space.

Acceptable: "13 200" above dimension line and "CLEAR ROADWAY"

below dimension line to save space.

Not acceptable: "13 200 CLEAR ROADWAY

- 3. For dimension lines and callouts where dimension stands alone, omit the unit symbol (i.e., "6025" implies "6025 mm").
- 4. "When indicating the **size of an object**, show the unit symbol once in sequence (e.g., "10 x 25 m SLAB").
- 5. **Bolts, cap screws, studs and rods** shall be designated by the diameter preceded by the letter "M" (i.e., "M24" designates a metric 24 mm diameter bolt. Use only the standard metric diameters as shown in bolt data this chapter. Thread designations are normally covered by the Standard Specifications. Where length is shown, always include the unit designation, "mm" (e.g., "M24 x 300 mm bolt").
- 6. **Industry standards for size designations**, such as those published by ASTM or a manufacturer, shall be implemented for items not addressed by this document.
- 7. Include a space before and after **small "x"** (e.g. "M24 x 300 mm BOLT"). Exception: Omit spaces (except for length) for plates (e.g., "PL 15x200 x 800") and steel shapes (e.g., "L 102x102x9.5 x 800").

Exceptions to the millimeter standard

- 1. Elevations, stations and survey curve data including PC and PT stations shall be expressed in meters. Omit the "m" for stations and elevations. Examples: PC 22+850.320 PVI 23+150.320 ELEV. 23.872 R= 698.552 m
- 2. Dimensions shown on general plans and general layouts shall be expressed in meters (e.g., "20.710 m SPAN") except that pipe and pile diameters shall be expressed in millimeters (e.g., "600 mm x 60 m PIPE).

STATIONING

Stations shall be expressed in kilometer format (e.g., "STA. 13+750"). Where plus (+) stations are shown, they shall be relative to the kilometer (e.g., "+025" or "+750"). Major tics shall be shown at 100 meter intervals with minor tics at 25 meter intervals.

ACCURACY

Accuracy for proposed features including dimensions, stations and elevations will normally be to the nearest 1 mm or 0.001 m. Accuracy rules for other situations are indicated below:

- 1. All **ground line (profile) elevations** and associated stations shall be expressed with 0.01 m accuracy unless there is a need for greater accuracy. This includes existing pavement elevations.
- 2. **Topography location** (station, offset), where specified, shall be expressed in meters with 0.1 m accuracy (e.g., "+825.1, 45.1 m RT."). Use greater accuracy if necessary.

- 3. **Topography dimensions**, where specified, shall be expressed in meters with 0.01 m accuracy (e.g., "13.06 x 60.96 m CONCRETE BRIDGE"). Use greater accuracy if necessary.
- 4. **English system shapes designated in metric format** shall be according to ASTM A 6M (i.e., "L 102x102x9.5" describes "L 4x4x3/8").
- 5. **Gauge wire diameter and gauge plate thickness** shall be expressed with 0.1 mm accuracy.
- 6. **Survey angles, deltas and bearings** shall be expressed with 0.1" accuracy (e.g., "N 32°13'35.1" W"). This also applies to layout angles such as joint centerline angles.
- 7. **Detail angles**, such as for rebar bending and concrete forming, shall be expressed in decimal format with 0.0001° accuracy (e.g., "78.3042°").
- 8. **Mechanical dimensions** shall be expressed in millimeters. Accuracy required varies depending on the application.

If no decimal place is shown, then the normal accuracy for the situation is assumed (i.e., "50 m SPAN" is assumed to mean "50.000 m SPAN"). If the decimal is used, always include the specified number of decimal places for the situation.

Although 1 mm or 0.001 m is the normal accuracy for bridge details and stations, use increments of 10 mm or greater whenever possible, especially for control dimensions such as girder spacing and span lengths. For instance, "2510" or "2500" is preferred over "2512," and "STA. 21+25.400" is preferred over "STA. 21+25.443."

Decimal places may be added when the sum of rounded-off parts does not equal the overall dimension. For instance, rounded-off span lengths along the outside face of slab on a curved continuous unit sometime do not add up to the continuous unit length. Adding a decimal place to the span lengths will resolve this discrepancy. A 1-mm discrepancy is not considered significant enough to necessitate adding a decimal place.

Adding decimal places is not the answer for reinforcing steel spacing. A nominal spacing should be used whenever possible. It is easy to understand that it would be much easier in the field to place 998 bars at 150 mm spacing rather than 149.9 mm spacing. This can be accomplished by using an odd spacing for the last space at each end and/or the distance from the last bar to the edge of the concrete.

PROFILE GRID

Vertical grid lines shall be shown at 25 or 100 meter intervals, and **horizontal grid lines** shall be shown at 5, 10 or 20 meter intervals, depending on scale.

9 (20) Rev. 04/01/99

Show **ground line elevations** at least every 25 meters and at notable grade break points. Interpolate if necessary. Include a note to indicate when elevations are derived from digital terrain modeling or manual interpolation.

SCALES

Two metric scale versions are required with graduations as follows:

Scale 1: 2.5, 5, 10, 20, 50, 100

Scale 2: 100, 200, 300, 400, 500, 600

Scales that can be derived from these graduations represent acceptable scales, with one qualifier; scales used for full-size plans should have corresponding, acceptable, derived scales for half-size plans. For example, a scale of 1:30, which can be derived from the 300 graduation, is acceptable because, at a 50% reduction factor, the scale will become 1:60, which can be derived from the 600 graduation. It follows that scales derived from the 400 and 600 graduations (1:40, 1:60, 1:400, 1:600, 1:4000, 1:6000) are not normally acceptable for full-size plans that are be reduced to half-size because the half-size scales cannot be derived from any of the standard graduations.

In special situations, where normally acceptable scales are impractical, scales derived from the 400 and 600 graduations may be used. In these situations, half-size plan scaling can be achieved by using the full-size scale and doubling the measurement. In addition, since there is a considerable disparity in scale between the 1:10 and 1:20 scales, a scale of 1:15 may be used if necessary. The scale becomes 1:30 at half-size. Full-size scaling is derived by dividing the 1:30 scale reading by 2.

Normally acceptable scales for full-size plans that are to be reduced to half-size are as follows:

Scale graduations: 2.5, 5, 10, 20, 50, 100, 200, 300, 500

<u>Derived scales:</u> 1:1, 1:2, 1:2.5, 1:3, 1:5, 1:10, 1:20, 1:25, 1:30, 1:50, 1:100, 1:200,

1:300, 1:500, 1:1000, 1:2000, 1:2500, 1:3000, 1:5000

Guide for converting English to Metric scale: English scales with their corresponding true scales (in parenthesis) are provided below as an aid in picking the appropriate metric scale. Normally pick the metric scale closest to the true English scale since metric scales are true scales.

Engineers Scale: 10 (1:120), 20 (1:240), 30 (1:360), 40 (1:480), 1:50 (1:600),

60 (1:720)

Architects Scale: 3/32 (1:128), 1/8 (1:96), 3/16 (1:64), 1/4 (1:48), 3/8 (1:32),

1/2 (1:24), 3/4 (1:16), 1 (1:12), 1 1/2 (1:8), 3 (1:4)

9 (21) Rev. 04/01/99

SI SYMBOLS

Use standard SI symbols for metric dimensions. Since metric symbols are case sensitive, small characters must be used where applicable for dimension units in the plans (e.g., "50 m"). This is an exception to the "all caps" rule for Bridge Design details.

BID ITEMS

Use standard SI symbols for bid items in detail quantity tables, plan notes and dimensions (e.g., "kg," "m³," etc.).

Spell out quantity units as defined in the Schedule of Bid Items (e.g., "cubic meter") in the Bridge Master summary table.

STANDARD DETAIL SHEET

The standard detail sheet size shall be $560 \times 915 \text{ mm}$ (22" x 36"). The border size shall be $530 \times 800 \text{ mm}$, which is a reduction in size from the previous standard. This will enable true 50% plotting, which will result in plans that can be scaled. The border shall be centered on the sheet from top to bottom and the right border shall be positioned 13 mm from the right edge of sheet.

SLOPES

Profile grade slopes and roadway cross-slopes shall be expressed in percentage format (e.g., "2.5%").

Embankment side-slope and revetment fore-slope shall be expressed in ratio format, rise to run (e.g., "1:3").

ABBREVIATIONS

Commonly used abbreviations, such as PPC, PC, PVI, SSD, GR-200 (M), etc., should be expressed consistently without periods (i.e., "PPC," not "P.P.C.").

REINFORCING STEEL

Bar designations shall be specified by the prefix "B" followed by the bar size and mark. For example, "B1502" designates a number 15 bar, mark 2.


GENERAL NOTES REGARDING METRIC FORMAT

Include the following statements in the General Notes:

DETAILING CONVENTIONS: DETAIL DIMENSIONS ARE EXPRESSED IN MILLIMETERS (mm) UNLESS OTHERWISE NOTED (E.G., "6000" IMPLIES "6000 mm"). STATIONS AND ELEVATIONS ARE EXPRESSED IN METERS. SCALES SHOWN ARE FOR FULL-SIZE PLANS. DOUBLE THE SCALE GRADUATION FOR HALF-SIZE PLANS. WHERE SCALE IS NOT SHOWN, THE DETAIL IS NOT TO SCALE (NTS). EMBANKMENT SLOPES ARE EXPRESSED AS A RATIO OF RISE TO RUN.

<u>REINFORCING STEEL:</u> ALL REINFORCING STEEL IS DESIGNED AND DETAILED AS METRIC. BAR DESIGNATIONS ARE SPECIFIED WITH THE PREFIX "B" FOLLOWED BY THE BAR SIZE AND MARK. FOR EXAMPLE, "B1502" DESIGNATES A NUMBER 15 BAR WITH A MARK NUMBER OF 2.

9 (22) Rev. 04/01/99



SWEDGED ANCHOR BOLTS

GUIDELINES ON THE COMPUTATIONS OF CONCRETE VOLUME FOR PAYMENT

CONCRETE IS MEASURED AND PAID FOR BY VOLUME IN CUBIC METERS WITH TWO PLACE ACCURACY.


NO DEDUCTIONS ARE TO BE MADE FOR THE VOLUME DISPLACED BY:


- I. REINFORCING STEEL
- 2. STRUCTURAL STEEL PLATES, ANGLES AND APPURTENANCES USED FOR DECK EXPANSION JOINTS AND END DAMS
- 3. CHAMFERS MEASURING 40 mm OR LESS
- 4. I50 mm PVC PIPE DRAINS
- 5. WEEP HOLES, SMALL PIPES AND CONDUITS
- 6. SHEAR CONNECTORS

DEDUCTIONS MUST BE MADE FOR VOLUME OF CONCRETE DISPLACED BY:

- I. STRUCTURAL STEEL MEMBERS, EXCEPT THOSE LISTED ON ITEM 2 ABOVE
- 2. CHAMFERS GREATER THAN 40 mm IN SIZE
- 3. VOLUME OF EMBEDDED PILES (ASSUME A 300 mm BUTT DIAMETER FOR TIMBER PILES)
- 4. ALL EXPANSION JOINTS


THE COMPUTED VOLUME OF CONCRETE SHALL INCLUDE FILLETS OVER 40 mm IN SIZE.





FILLET DETAIL

CONCRETE QUANTITIES MEASUREMENT




NOTES:


AT THE CONTRACTORS OPTION THE THREADED INSERT MAY BE ELECTRO-PLATED AND COATED WITH GREASE OR GALVANIZED.

* M3O x 450 mm ANCHOR BOLT WITH ONE (I) HEX NUT & ONE (I) WASHER (CLIP FOR NECESSARY CLEARANCE). A DEFORMED REINFORCING BAR OF THE SAME SIZE AND LENGTH MAY BE SUBSTITUTED FOR THIS ANCHOR BOLT. ANCHOR BOLTS TO BE PAID FOR AS STRUCTURAL METALWORK AND INCLUDED IN BENT QUANTITIES (FOR ESTIMATION PURPOSES ONLY).

THE NUMBER OF GIRDERS PER SPAN TO BE ANCHORED VARIES WITH THE SPAN CONFIGURATION.



Rev. 04/01/99



TIE ROD ASSEMBLY

NOTES:

HAND TIGHTEN NUT AGAINST PLATE BEFORE POURING DIAPHRAGM. AFTER DIAPHRAGM AND SLAB ARE IN PLACE FOR 48 HOURS, TIGHTEN NUT FIRMLY. PAINT ALL EXPOSED SURFACES OF WELL, STEEL PLATE, ROD AND NUT WITH AN APPROVED EPOXY IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS AND GROUT FLUSH WITH EDGE OF BEAM. (NO DIRECT PAYMENT)

INSIDE FACE OF PL 12x100 x 100 mm SHOULD BE BEVELED AS REQUIRED TO PROVIDE FULL AND EVEN BEARING. IN CASES WHERE EXTERIOR GIRDER IS FLARED, A SECOND BEVEL PLATE MAY BE NEEDED. SHOP DRAWINGS WILL BE REQUIRED FOR ALL CASES.

DIAPHRAGM TIE RODS, NUTS, BEVELED PLATES AND MASONRY PADS ARE TO BE PAID FOR AS STRUCTURAL METALWORK AND INCLUDED IN SPAN QUANTITIES (ESTIMATION PURPOSES ONLY).

GIRDER HARDWARE

2 OF 2

STRUCTURAL METALWORK

APPROACH SLABS:
END DAM PLATE (PL 12x130) 12.25 kg/m
ANCHOR STUDS (MI6 x 200 mm) 0.36 kg EACH
CLIP ANGLE (L 203x102x12.7 x 130) 3.80 kg EACH
END BENTS:
ANCHOR BOLTS (STRIP SEAL OR END DAM)
ANCHOR BOLTS (M24 x 510 mm) 1.95 kg EACH
HEX NUTS (2 PER BOLT) O.18 kg EACH
CUT WASHERS (2 PER BOLT) 0.09 kg EACH
ANCHOR BOLTS (BEARING ASSEMBLY)
ANCHOR BOLTS (M30 x 450 mm) 2.50 kg EACH
HEX NUTS (1 PER BOLT) 0.34 kg EACH
CUT WASHERS (1 PER BOLT) O.12 kg EACH
INTERMEDIATE BENTS: ANCHOR BOLTS (BEARING ASSEMBLY) ANCHOR BOLTS (M30 x 450 mm) 2.50 kg EACH HEX NUTS (1 PER BOLT)
SPANS:
END DAM ASSEMBLY (WHEN USED)
END DAM PLATE (PL 2x 30)
ANCHOR STUDS (MI6 x 200 mm) 0.36 kg EACH
CLIP ANGLE (L 152x102x12.7 x 130) 3.13 kg EACH
GIRDERS: BEARING ASSEMBLY
THREADED INSERTS (2 PER ANGLE) 0.40 kg EACH
CAP SCREWS (M24 x 90 mm) (2 PER ANGLE) 0.40 kg EACH
WASHERS (2 PER ANGLE) 0.09 kg EACH
ANGLE (L 127x 127x 12.7 x 230)
ANCHOR BOLTS (STRIP SEAL OR END DAM)
ANCHOR BOLTS (M24 x 300 mm) 1.20 kg EACH
HEX NUTS (2 PER BOLT) O.18 kg EACH
CUT WASHERS (2 PER BOLT) 0.09 kg EACH

STRUCTURAL METALWORK WEIGHTS (SUMMARY)

Rev. 04/01/99

90 DEGREE HOOK FOR STIRRUPS & TIES (SOFT METRIC)						
BAR SIZE	PIN	RADIUS				
	DIAMETER	R	a	b		
#10	40	30		110		
#13	50	40		120		
#16	65	50		160		
#19	115	80		310		
#22	135	90		360		
#25	155	100		410		
90	DEGREE HOOK	FOR STIRRUPS &	TIES (HARD METI	RIC)		
#10	45	35		100		
#15	65	50		145		
#20	120	80		310		
#25 150 100 400						
	٩		D			

REINFORCEMENT BAR DATA						
	135 DEGREE H	IOOK FOR STII	RRUPS & TIES (SOFT METRIC)		
BAR SIZE	PIN DIAMETER	RADIUS r	a	b	С	
#10	40	30	125	50	90	
#13	50	40	180	65	120	
#16	65	49	230	95	160	
#19	115	80	310	115	220	
#22	135	90	360	130	260	
#25	155	100	410	150	300	
	135 DEGREE H	OOK FOR STIR	RRUPS & TIES (I	HARD METRIC)		
#10	45	35	150	60	110	
#15 65 50 210 85 150						
#20	120	80	300	110	220	
#25	150	100	400	140	280	
	Ö	b	O			

90 DEGREE STANDARD HOOKS (SOFT METRIC)						
BAR SIZE	PIN	RADIUS				
	DIAMETER	R	a	b		
#10	60	39	170	150		
#13	80	53	250	200		
#16	95	63	300	250		
#19	115	77	350	310		
#22	135	89	410	360		
#25	155	103	460	410		
#29	230	148	570	490		
#32	260	160	640	550		
#36	290	180	710	610		
#43	430	260	920	780		
#57	580	350	1230	1030		
	90 DEGREE STA	ANDARD HOOKS	(HARD METRIC)			
#10	70	46	210	180		
#15	100	66	300	260		
#20						
#25	150	100	460	400		
#30	240	150	590	500		
#35	290	180	700	600		
#45	440	264	930	780		
#55	560	336	1200	1020		
	Ω					

REINFORCEMENT BAR DATA											
	180 DEGREI	STANDARD HO	OKS (SOFT METR	IC)							
BAR SIZE	PIN										
	DIAMETER	a	b	С							
#10	60	80	190	100							
#13	80	110	200	120							
#16	95	130	260	130							
#19	115	160	320	150							
#22	135	180	370	180							
#25	155	210	420	200							
#29	230	290	570	260							
#32	260	330	640	300							
#36	290	360	710	330							
#43	430	520	990	450							
#57	580	690	1310	590							
	180 DEGREE	STANDARD HO	OKS (HARD METR	RIC)							
#10	70	90	200	110							
#15	100	130	270	130							
#20	120	160	330	160							
#25	150	200	420	200							
#30	240	300	590	270							
#35	290	360	710	320							
#45	440	520	1000	440							
#55	560	680	1280	560							
	#45 440 520 1000 440										

	REINFORCEMENT BAR PROPERTIES (SOFT METRIC)											
BAR SIZE DESIGNATION	MASS kg/m)	DIAMETER (mm)	PERIMETER (mm)	AREA (mm²)								
#10	0.560	9.5	29.9	71								
#13	0.994	12.7	39.9	129								
#16	1.552	15.9	49.9	199								
#19	2.235	19.1	59.8	284								
#22	3.042	22.2	69.8	387								
#25	3.973	25.4	79.8	510								
#29	5.060	28.7	90.0	645								
#32	6.404	32.3	101.3	819								
#36	7.907	35.8	112.5	1006								
#43	11.380	43.0	135.1	1452								
#57	20.240	57.3	180.1	2581								

REINFORCEMENT BAR PROPERTIES (HARD METRIC)											
BAR SIZE DESIGNATION	MASS kg/m)	DIAMETER (mm)	PERIMETER (mm)	AREA (mm²)							
#10	0.785	11.3	35.5	100							
#15	1.570	16.0	50.3	200							
#20	2.355	19.5	61.3	300							
#25	3.925	25.2	79.2	500							
#30	5.495	29.9	93.9	700							
#35	7.850	35.7	112.2	1000							
#45	11.775	43.7	137.3	1500							
#55	19.625	56.4	177.2	2500							

BOLT DATA

BOLT PROP	BOLT PROPERTIES FOR METRIC BOLTS AND ENGLISH BOLT SUBSTITUTIONS												
Metric	Diameter	Area	English	Diameter	Area								
Bolt	(mm)	(mm²)	Bolt	(mm)	(mm²)								
Designation			Designation										
M16	16	201.1	⁵ / ₈ "	15.9	197.9								
M20	20	314.2	None	N/A	N/A								
M22	22	380.1	⁷ /8"	22.2	387.9								
M24	24	452.4	1"	25.4	506.7								
M27	27	572.6	1 ¹ / ₈ "	28.6	641.3								
M30	30	706.9	1 1⁄4"	31.8	791.7								
M36	36	1017.9	1 ½"	38.1	1140.1								
M48	48	1809.6	2"	50.8	2026.8								
M64	64	3217.0	2 1/2"	63.5	3166.9								
M72	72	4071.5	3"	76.2	4560.4								

English bolts may be substituted for metric bolts as per the above table with the provision that, if any metric (A 325M) bolt is substituted for with the English (A 325) bolt, then all high-strength bolts shall be A 325. When substitutions are made, bolt hole size, minimum pitch and minimum clear distances shall be adjusted as required. Substitutions shall be at no additional cost to the Department.


BOLT EDGE DISTANCES											
	imum Edge Dista TO LRFD for M1	Edge Distance Computation for Detailing - Rule of Thumb (Apply Multiplier to Diameter)									
Metric Bolt Designation	Sheared Edges (mm)										
M16	29	22	2.0	1.5							
M20	32	25	2.0	1.5							
M22	38	29	2.0	1.5							
M24	44	32	2.0	1.5							
M27	54	38	2.0	1.5							
M30	57	41	2.0	1.5							
M36	60	44	1.75	1.25							
M48	84	60	1.75	1.25							
M64	112	80	1.75	1.25							
M72	126	90	1.75	1.25							


BOLT HOLE DIMENSIONS FOR METRIC BOLTS											
Bolt	Standard	Oversize	Short-Slot	Max. Long-Slot							
Designation	Diameter	Diameter	Width x Length	Width x Length							
	(mm)	(mm)	(mm)	(mm)							
M16	18	20	18 x 22	18 x 40							
M20	22	24	22 x 26	22 x 50							
M22	24	28	24 x 30	24 x 55							
M24	26	30	26 x 32	26 x 60							
M27	29	35	29 x 37	29 x 67							
M30	32	38	32 x 40	32 x 75							
M30 *	N/A	38	N/A	38 x 75							
M36 *	N/A	44	N/A	44 x 90							
M48 *	N/A	56	N/A	56 x 120							
M64 *	N/A	74	N/A	74 x 160							
M72 *	N/A	82	N/A	82 x 180							
* Anchor bolts											

BOLT H	BOLT HOLE DIMENSIONS FOR ENGLISH BOLT SUBSTITUTIONS											
Bolt Designation	Standard Diameter (mm)	Oversize Diameter (mm)	Short-Slot Width x Length (mm)	Max. Long-Slot Width x Length (mm)								
⁵ / ₈ "	18	20	18 x 22	18 x 40								
⁷ / ₈ "	24	28	24 x 30	24 x 55								
1″	27	31	27 x 33	27 x 60								
1 ¹ / ₈ "	31	35	31x 37	31 x 67								
1 1/4"	34	40	34 x 42	34 x 75								
1 1/4" *	N/A	40	N/A	40 x 75								
1 ½" *	N/A	46	N/A	46 x 90								
2" *	N/A	59	N/A	59 x 120								
2 ½" *	N/A	74	N/A	74 x 160								
3" *	N/A	86	N/A	86 x 180								
* Anchor bolts												

COMMON AND PREFERRED STEEL PLATE THICKNESSES

Common Plate	e Thicknesses						
Metric (mm)	Equivalent (in)						
5	0.20						
5.5	0.22						
6	0.24						
7	0.28						
8	0.32						
9	0.35						
10	0.39						
11	0.43						
12	0.47						
14	0.55						
16	0.63						
18	0.71						
20	0.79						
22	0.87						
25	0.98						
28	1.10						
30	1.18						
32	1.26						
35	1.38						
38	1.50						
40	1.57						
45	1.77						
50	1.97						
55	2.17						
60	2.36						
50 mm increments	10 mm increments above 60 mm 50 mm increments above 200 mm						
Preferred thicknesses are shaded.							





	DEVELOPMENT LENGTH OF REINFORCING BARS IN TENSION, (mm) ¹														
² Bar		f'c=22	2 MPa, cla	iss A, S, X			f'o	=24 M	Pa, class A	AA, S, X					
No.															
	Id ³	1.3ld	1.4ld	1.7ld	2.0ld		ld	1.3ld	1.4ld	1.7ld	2.0ld				
10M	300	370	400	490	570		300	370	400	490	570				
15M	410	540	580	700	820		410	540	580	700	820				
20M	540	710	760	920	1080		520	680	730	890	1040				
25M	900	1170	1260	1530	1800		860	1120	1210	1470	1720				
30M	1260	1640	1770	2150	2520		1210	1580	1700	2060	2420				
35M	1800	2340	2520	3060	3600		1720	2240	2410	2930	3440				
45M	2240	2920	3140	3810	4480		2150	2800	3010	3660	4300				
55M	3050	3970	4270	5190	6100		2920	3800	4090	4970	5840				

Bar No.		f'c=26	MPa, clas	s AA(M), A	A(M)		f'c=1	8 МРа, с	lass D	
	ld	1.3ld	1.4ld	1.7ld	2.0ld	ld	1.3ld	1.4ld	1.7ld	2.0ld
10M	300	370	400	490	570	300	370	400	490	570
15M	410	540	580	700	820	410	540	580	700	820
20M	500	650	700	850	1000	600	780	840	1020	1200
25M	830	1080	1170	1420	1660	990	1290	1390	1690	1980
30M	1160	1510	1630	1980	2320	1390	1810	1950	2370	2780
35M	1650	2150	2310	2810	3300	1980	2580	2780	3370	3960
45M	2480	3230	3480	4220	4960	2970	3870	4160	5050	5940
55M	4120	5360	5770	7010	8240	4950	6440	6930	8420	9900

Bar		f'c=	=45MPa,	class P(M)			F'c=4	O MPa, c	lass P	
No.										
	ld	1.3ld	1.4ld	1.7ld	2.0ld	ld	1.3ld	1.4ld	1.7ld	2.0ld
10M	300	370	400	490	570	300	370	400	490	570
15M	410	540	580	700	820	410	540	580	700	820
20M	500	650	700	850	1000	500	650	700	850	1000
25M	640	840	900	1090	1280	670	880	940	1140	1340
30M	880	1150	1240	1500	1760	930	1210	1310	1590	1860
35M	1260	1640	1770	2150	2520	1330	1730	1870	2270	2660
45M	1880	2450	2640	3200	3760	2000	2600	2800	3400	4000
55M	3140	4090	4400	5340	6280	3330	4330	4670	5670	6660

Rev. 04/01/99 9 (38)

 $^{^1}$ For epoxy reinforcing development length, see AASHTO LFD specs 8.25.2.3 2 ASTM A 615M-95b (fy=420 MPa) 3 Refer to LRFD 5.11.2.1.1 for development of reinforcing